SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Revision date 19-Nov-2026 **Revision Number** 1

1. Identification

Product identifier

Product Name SB 430

Other means of identification

Product Code(s) FG00096

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Adhesive Sealant Coating

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address
Seal Bond
1251 E. Mt. Garfield Rd.
Norton Shores, MI 49444
800-252-4144

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification of the substance or mixture

Skin sensitization	Category 1
Reproductive toxicity	Category 1B

Disclaimer ATTENTION! Some of the additives disclosed in Section 3 such as Carbon Black, Crystalline Silica, and or Titanium Dioxide are regulated by California Proposition 65 as carcinogens when they are in the form of “airborne, unbound particles of respirable size.” Since the disclosed materials are bound in the polymer matrix, they will not be available as an airborne hazard (dust, mist, or spray) under normal conditions of use. Therefore, this product does not present a respiration hazard as outlined by the Prop 65 regulations

Label elements



Danger

Hazard statements
May cause an allergic skin reaction.
May damage fertility or the unborn child.

Precautionary Statements - Prevention
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves, protective clothing, eye protection and face protection.
Avoid breathing dust, fume, gas, mist, vapors and spray.
Contaminated work clothing must not be allowed out of the workplace.
Precautionary Statements - Response
IF exposed or concerned: Get medical advice and attention.
Specific treatment (see .? on this label).
Skin
IF ON SKIN: Wash with plenty of water and soap.
If skin irritation or rash occurs: Get medical advice and attention.
Wash contaminated clothing before reuse.

Precautionary Statements - Storage
Store locked up.
Precautionary Statements - Disposal
Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

Hazards classified under paragraph (d)(1)(ii) of 1910.1200
No information available.

Other information
No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)	Trade secret / Unique identifier
Limestone	1317-65-3	40 - 80	-	-	-
Calcium Carbonate	471-34-1	10 - 20	-	-	-
Titanium Dioxide	13463-67-7	1 - <5	-	-	-
Carbon Black	1333-86-4	1 - <5	-	-	-
Proprietary Dehydration Agent	Trade secret	1 - <5	-	-	-
Stearic Acid	57-11-4	1 - <5	-	-	-
Proprietary Adhesion Promoter	Trade secret	0.1 - 1	-	-	-

Crystalline Silica	14808-60-7	0.1 - 1	-	-	-
DBTDL	77-58-7	0.1 - 1	-	-	-

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical Product is or contains a sensitizer. May cause sensitization by skin contact. Containers may explode when heated.

Explosion data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control Parameters
Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Limestone 1317-65-3	-	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Calcium Carbonate 471-34-1	-	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Titanium Dioxide 13463-67-7	TWA: 0.2 mg/m³ nanoscale respirable particulate matter TWA: 2.5 mg/m³ finescale respirable particulate matter	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m³ TWA: 2.4 mg/m³ CIB 63 fine TWA: 0.3 mg/m³ CIB 63 ultrafine, including engineered nanoscale
Carbon Black 1333-86-4	TWA: 3 mg/m³ inhalable particulate matter	TWA: 3.5 mg/m³ (vacated) TWA: 3.5 mg/m³	IDLH: 1750 mg/m³ TWA: 3.5 mg/m³ TWA: 0.1 mg/m³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH
Stearic Acid 57-11-4	TWA: 10 mg/m³ inhalable particulate matter TWA: 3 mg/m³ respirable	-	-

	particulate matter		
Crystalline Silica 14808-60-7	TWA: 0.025 mg/m³ respirable particulate matter	TWA: 50 µg/m³ (vacated) TWA: 0.1 mg/m³ respirable dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction	IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust
DBTDL 77-58-7	STEL: 0.2 mg/m³ Sn TWA: 0.1 mg/m³ Sn S*	TWA: 0.1 mg/m³ Sn (vacated) TWA: 0.1 mg/m³ Sn (vacated) S*	IDLH: 25 mg/m³ Sn TWA: 0.1 mg/m³ except Cyhexatin Sn

Chemical name	Alberta	British Columbia	Ontario	Quebec
Limestone 1317-65-3	TWA: 10 mg/m³	TWA: 10 mg/m³ TWA: 3 mg/m³ STEL: 20 mg/m³	-	TWA: 10 mg/m³
Calcium Carbonate 471-34-1	TWA: 10 mg/m³	TWA: 10 mg/m³ TWA: 3 mg/m³ STEL: 20 mg/m³	-	TWA: 10 mg/m³
Titanium Dioxide 13463-67-7	TWA: 10 mg/m³	TWA: 10 mg/m³ TWA: 3 mg/m³	TWA: 10 mg/m³	TWA: 10 mg/m³
Carbon Black 1333-86-4	TWA: 3.5 mg/m³	TWA: 3 mg/m³	TWA: 3 mg/m³	TWA: 3 mg/m³
Proprietary Dehydration Agent	-	-	STEL: 10 ppm STEL: 60 mg/m³	-
Stearic Acid 57-11-4	-	TWA: 10 mg/m³ TWA: 3 mg/m³	TWA: 10 mg/m³ TWA: 3 mg/m³	TWA: 10 mg/m³ TWA: 3 mg/m³
Crystalline Silica 14808-60-7	TWA: 0.025 mg/m³	TWA: 0.025 mg/m³	TWA: 0.10 mg/m³	TWA: 0.05 mg/m³
DBTDL 77-58-7	TWA: 0.1 mg/m³ STEL: 0.2 mg/m³ Skin	TWA: 0.1 mg/m³ STEL: 0.2 mg/m³ Skin	TWA: 0.1 mg/m³ STEL: 0.2 mg/m³ Skin	-

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Titanium Dioxide	TWA: 0.2 mg/m³ TWA: 2.5 mg/m³	TWA: 10 mg/m³	TWA: 0.2 mg/m³ TWA: 2.5 mg/m³	TWA: 0.2 mg/m³ TWA: 2.5 mg/m³
Carbon Black	TWA: 3 mg/m³	TWA: 3 mg/m³	TWA: 3 mg/m³	TWA: 3 mg/m³
Stearic Acid	TWA: 10 mg/m³ TWA: 3 mg/m³	-	TWA: 10 mg/m³ TWA: 3 mg/m³	TWA: 10 mg/m³ TWA: 3 mg/m³
Crystalline Silica	TWA: 0.025 mg/m³	TWA: 0.025 mg/m³	TWA: 0.025 mg/m³	TWA: 0.025 mg/m³

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Limestone	TWA: 10 mg/m³ STEL: 20 mg/m³	-	TWA: 10 mg/m³ STEL: 20 mg/m³	TWA: 30 mppcf TWA: 10 mg/m³ STEL: 20 mg/m³
Calcium Carbonate	TWA: 10 mg/m³ STEL: 20 mg/m³	-	TWA: 10 mg/m³ STEL: 20 mg/m³	TWA: 30 mppcf TWA: 10 mg/m³ STEL: 20 mg/m³
Titanium Dioxide	TWA: 10 mg/m³ STEL: 20 mg/m³	TWA: 0.2 mg/m³ TWA: 2.5 mg/m³	TWA: 10 mg/m³ STEL: 20 mg/m³	TWA: 30 mppcf TWA: 10 mg/m³ STEL: 20 mg/m³
Carbon Black	TWA: 3.5 mg/m³ STEL: 7 mg/m³	TWA: 3 mg/m³	TWA: 3.5 mg/m³ STEL: 7 mg/m³	TWA: 3.5 mg/m³ STEL: 7 mg/m³
Stearic Acid	-	TWA: 10 mg/m³	-	-

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
		TWA: 3 mg/m³		
Crystalline Silica	TWA: 0.05 mg/m³	TWA: 0.025 mg/m³	TWA: 0.05 mg/m³	TWA: 300 particle/mL

Biological occupational exposure limits This product, as supplied, contains materials that do not have reportable biological exposure limits or are not subject to the reporting requirements of the local jurisdiction.

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Color No information available
Odor (includes odor threshold) No information available

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Boiling point (or initial boiling point or boiling range)	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
SADT (°C)	No data available	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Solubility	No data available	None known
Water solubility	No data available	None known
Partition coefficient n-octanol/water (log value)	No data available	None known

Vapor pressure (includes evaporation rate)	No data available	None known
Evaporation rate	No data available	None known
Density and/or relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		None known
Particle Size	No data available	
Particle Size Distribution	No data available	

Other information

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause irritation. Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	334,493.10 mg/kg
ATEmix (dermal)	12,226.60 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	506.60 mg/L
ATEmix (inhalation-dust/mist)	99,999.00 mg/L

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium Carbonate	= 6450 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 3 mg/L (Rat) 4 h
Titanium Dioxide	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat) 4 h
Carbon Black	> 10000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 4.6 mg/m³ (Rat) 4 h
Proprietary Dehydration Agent	= 7340 µL/kg (Rat)	= 3.54 mL/kg (Rabbit)	= 16.8 mg/L (Rat) 4 h
Stearic Acid	= 4600 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Proprietary Adhesion Promoter	= 2413 mg/kg (Rat)	> 2009 mg/kg (Rabbit)	1.49 - 2.44 mg/L (Rat) 4 h
DBTDL	= 45 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.
The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide	A3	Group 2B	-	X
Carbon Black	A3	Group 2B	-	X
Crystalline Silica	A2	Group 1	Known	X

Reproductive toxicity May damage fertility or the unborn child.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity 1.1211 % of the mixture consists of ingredient(s) of unknown hazards to the aquatic environment.

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
Proprietary Dehydration Agent	LC50: =191mg/L (96h,	-	-	-

	Oncorhynchus mykiss)			
Stearic Acid	LC50: <3000mg/L (96h, Brachydanio rerio) LC50: >1000mg/L (96h, Danio rerio)	-	-	-

Persistence and degradability No information available.

Bioaccumulative potential

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
Stearic Acid	3.3	-	-
DBTDL	4.44	-	-

Mobility in soil No information available.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

California waste information This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

DOT Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
Limestone	1317-65-3	Present	Active
Proprietary Polymer	-	-	Unknown *
Calcium Carbonate	471-34-1	Present	Active
Proprietary Polymer	-	-	Unknown *
Titanium Dioxide	13463-67-7	Present	Active
Carbon Black	1333-86-4	Present	Active
Proprietary Dehydration Agent	-	Present	Active
bis(2-ethylhexyl) terephthalate	6422-86-2	Present	Active
Stearic Acid	57-11-4	Present	Active
Benzenepropanoic acid, 3-(1,1-dimethylethyl)-4-hydroxy-5-methyl-, 1,1,'-{ 1,2-ethanediylbis(oxy-2,10-ethanediyl) ester	36443-68-2	Present	Active
Bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate (HALS)	52829-07-9	Present	Active
UVA	25973-55-1	Present	Active
Proprietary Adhesion Promoter	-	Present	Active
Crystalline Silica	14808-60-7	Present	Active
DBTDL	77-58-7	Present	Active
Proprietary Adhesion Promoter	-	Present	Active

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements.

DSL/NDSL Contact supplier for inventory compliance status.
EINECS/ELINCS Contact supplier for inventory compliance status.
ENCS Contact supplier for inventory compliance status.
IECSC Contact supplier for inventory compliance status.
KECL Contact supplier for inventory compliance status.
PICCS Contact supplier for inventory compliance status.
AIIC Contact supplier for inventory compliance status.
NZIoC Contact supplier for inventory compliance status.
TCSI Contact supplier for inventory compliance status.

US Federal Regulations

SARA 313
Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories
Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)
This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CAA (Clean Air Act)
This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

CERCLA
This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65
This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Titanium Dioxide	Carcinogen
Carbon Black	Carcinogen
Crystalline Silica	Carcinogen

See disclaimer in section 2.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Minnesota
Limestone	X	X	X	-
Calcium Carbonate	X	X	X	-
Titanium Dioxide	X	X	X	-
Carbon Black	X	X	X	-
Crystalline Silica	X	X	X	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA	**Health hazards** 2	**Flammability** 0	**Instability** 0	**Special hazards** -
HMIS	**Health hazards** 2 *	**Flammability** 0	**Physical hazards** 0	**Personal protection** X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS
U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
U.S. Environmental Protection Agency
U.S. EPA Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
U.S. Hazardous Substance Data Bank (HSDB)
International Uniform Chemical Information Database (IUCLID)
Japan National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
U.S. National Institute for Occupational Safety and Health (NIOSH)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine’s PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
United Nations World Health Organization (WHO)

Revision date 19-Nov-2026

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet