

SAFETY DATA SHEET

SAFETY DATA SHEET

Revision date 21-Sep-2023 Revision Number 1

1. Identification

Product identifier

Product Name SB 425 - All Colors

Other means of identification

Product Code(s) FG00041

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Adhesive Sealant Coating

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Seal Bond 1251 E. Mt. Garfield Rd. Norton Shores, MI 49444 800-252-4144

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

| Serious eye damage/eye irritation | Category 2A |
|-----------------------------------|-------------|
| Skin sensitization | Category 1 |

Appearance No information available

Physical state Liquid

Odor No information available

Disclaimer ATTENTION! Some of the additives disclosed in Section 3 such as Carbon Black, Crystalline Silica, and or Titanium Dioxide are regulated by California Proposition 65 as carcinogens when they are in the form of "airborne, unbound particles of respirable size." Since the disclosed materials are bound in the polymer matrix, they will not be available as an airborne hazard (dust, mist, or spray) under normal conditions of use. Therefore, this product does not present a respiration hazard as outlined by the Prop 65 regulations

Label elements

Warning

Hazard statements

Causes serious eye irritation
May cause an allergic skin reaction



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust, fume, gas, mist, vapors and spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves, eye protection and face protection

Precautionary Statements - Response

Specific treatment (see .? on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice and attention

Skin

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice and attention

Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

| Chemical name | CAS No | Weight-% | Information Review | Date HMIRA filed and date exemption granted (if applicable) |
|-------------------------------|--------------|----------|--------------------|---|
| Limestone | 1317-65-3 | 40 - 80 | - | - |
| Calcium Carbonate | 471-34-1 | 5 - <10 | • | - |
| Titanium Dioxide | 13463-67-7 | 1 - <5 | • | - |
| Proprietary Dehydration Agent | Trade secret | 1 - <5 | - | - |
| Carbon Black | 1333-86-4 | 1 - <5 | • | - |
| Proprietary Adhesion Promoter | Trade secret | 0.1 - 1 | Ī | - |
| Proprietary Adhesion Promoter | Trade secret | 0.1 - 1 | - | - |
| Crystalline Silica | 14808-60-7 | 0.1 - 1 | - | - |

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact. Containers may

explode when heated.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control parameters Exposure Limits

| Chemical name | ACGIH T | LV | 08 | SHA PEL | _ | | NIO | SH |
|--------------------|---|------------|---|---------------------|---------------------------------|----------|------------|---|
| Limestone | - | | TWA: 15 n | | | | 10 mg/n | |
| 1317-65-3 | | | TWA: 5 m | g/m³ res raction | spirable | TWA: 5 r | mg/m³ | respirable dus |
| | | | (vacated) TW | | n/m³ total | | | |
| | | | (vacatou) i v | dust | 9/111 (0101) | | | |
| | | | (vacated) | | | | | |
| | | | | able frac | | | | |
| Calcium Carbonate | - | | TWA: 15 n | | | | 10 mg/n | |
| 471-34-1 | | | TWA: 5 m | g/m³ res raction | spirable | TWA: 5 r | ng/m³ | respirable dus |
| | | | (vacated) TW | | g/m³ total | | | |
| | | | (************************************** | dust | 9 | | | |
| | | | (vacated) | | ~ | | | |
| | | | | able frac | | | | |
| Titanium Dioxide | TWA: 0.2 mg/m³ nanoscale | | TWA: 15 n | _ | | | | 00 mg/m ³ |
| 13463-67-7 | respirable particulate matter (TWA: 2.5 mg/m³ finescale | | (vacated) TW | dust | g/m³ totai | | | n ³ CIB 63 fine g/m ³ CIB 63 |
| | respirable particu | | | uusi | | | | ing engineered |
| | | | | | | | nanos | • |
| Carbon Black | TWA: 3 mg/m ³ | | | 3.5 mg/ | | | | 50 mg/m³ |
| 1333-86-4 | particulate matter | | (vacated) | TWA: 3.5 | | | | 5 mg/m ³ |
| | | | | | | | | Carbon black i cyclic aromatic |
| | | | | | | | | ons PAH |
| Crystalline Silica | TWA: 0.025 mg/m ³ | respirable | TWA | : 50 µg/r | m³ | | | respirable dus |
| 14808-60-7 | particulate n | | (vacated) | TWA: 0.1 | 1 mg/m³ | TWA: 0. | | |
| | | | | irable du | | | du | st |
| | | | | | 5) mppcf | | | |
| | | | TWA res | | raction 2) mg/m ³ | | | |
| | | | TWA res | | | | | |
| Chemical name | Alberta | British C | Columbia | | Ontario | | C | Quebec |
| Limestone T | WA: 10 mg/m ³ | TWA: 1 | 0 mg/m³ - | | | TWA | : 10 mg/m³ | |

| 1317-65-3 | | TWA: 3 mg/m ³ STEL: 20 mg/m ³ | | |
|----------------------------------|------------------------------|--|--------------------------------|----------------------------|
| Calcium Carbonate 471-34-1 | TWA: 10 mg/m ³ | TWA: 10 mg/m³ TWA: 3 mg/m³ STEL: 20 mg/m³ | - | TWA: 10 mg/m ³ |
| Titanium Dioxide 13463-67-7 | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ TWA: 3 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ |
| Proprietary Dehydration Agent | - | - | STEL: 10 ppm STEL: 60 mg/m³ | - |
| Carbon Black 1333-86-4 | TWA: 3.5 mg/m ³ | TWA: 3 mg/m ³ | TWA: 3 mg/m ³ | TWA: 3 mg/m ³ |
| Crystalline Silica 14808-60-7 | TWA: 0.025 mg/m ³ | TWA: 0.025 mg/m ³ | TWA: 0.10 mg/m ³ | TWA: 0.1 mg/m ³ |

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protectionWear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Appearance Paste

ColorNot applicableOdorNot applicableOdor thresholdNot applicable

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Not applicable None known Hq Not applicable Melting point / freezing point None known Initial boiling point and boiling rangeNot applicable None known Not applicable Flash point None known **Evaporation rate** Not applicable None known **Flammability** Not applicable None known Flammability Limit in Air None known

Upper flammability or explosive Not applicable

limits

Lower flammability or explosive Not applicable

limits

Not applicable None known Vapor pressure Relative vapor density (Air=1) > 1None known Relative density Not applicable None known Not applicable Water solubility None known Solubility(ies) Not applicable None known **Partition coefficient** Not applicable None known None known **Autoignition temperature** Not applicable Not applicable None known **Decomposition temperature** Contact the manufacturer None known Kinematic viscosity Dynamic viscosity Contact the manufacturer None known

Other information

Explosive properties
Oxidizing properties
No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause irritation. Prolonged contact may

cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 24,277.30 mg/kg

 ATEmix (dermal)
 9,258.10 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

 ATEmix (inhalation-vapor)
 657.90 mg/l

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|---------------------|-------------------------|----------------------------|
| Calcium Carbonate 471-34-1 | = 6450 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 3 mg/L (Rat) 4 h |
| Titanium Dioxide 13463-67-7 | > 10000 mg/kg (Rat) | - | = 5.09 mg/L (Rat) 4 h |
| Proprietary Dehydration Agent | = 7340 µL/kg (Rat) | = 3.54 mL/kg (Rabbit) | = 16.8 mg/L (Rat) 4 h |
| Carbon Black 1333-86-4 | > 15400 mg/kg (Rat) | - | > 4.6 mg/m³ (Rat) 4 h |
| Proprietary Adhesion Promoter | - | = 11.3 mL/kg (Rabbit) | - |
| Proprietary Adhesion Promoter | = 2413 mg/kg (Rat) | > 2009 mg/kg (Rabbit) | 1.49 - 2.44 mg/L (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|----------------------------------|-------|----------|-------|------|
| Titanium Dioxide 13463-67-7 | · | | - | Х |
| Carbon Black 1333-86-4 | А3 | Group 2B | - | Х |
| Crystalline Silica 14808-60-7 | A2 | Group 1 | Known | Х |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

Revision date 21-Sep-2023

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|----------------------------------|----------------------|--|----------------------------|-----------|
| Proprietary Dehydration Agent | - | LC50: =191mg/L (96h, Oncorhynchus mykiss) | - | - |

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Mobility in soil

No information available.

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA All ingredients are listed or exempt.

DSL/NDSL All ingredients are listed or exempt.

EINECS/ELINCS
Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals **NZIOC** - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

| the product of the form of the | | | |
|--|---------------------------------|---------------------------|--|
| Chemical name | | California Proposition 65 | |
| Titanium Dioxide - 13463-67-7 | | Carcinogen | |
| | Carbon Black - 1333-86-4 | Carcinogen | |
| | Crystalline Silica - 14808-60-7 | Carcinogen | |

Revision date 21-Sep-2023

See disclaimer in section 2.

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards2Flammability0Instability0Special hazards-HMISHealth hazards2Flammability0Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 21-Sep-2023

Revision NoteNo information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet