

SAFETY DATA SHEET

Revision Number 3

Revision date 19-Sep-2023

1. Identification				
Product identifier				
Product Name	SB 495 - All Colors			
Other means of identification				
Product Code(s)	FG00007			
Synonyms	None			
Recommended use of the chemical and restrictions on use				
Recommended use	Adhesive Sealant Coating			
Restrictions on use	No information available			
Details of the supplier of the safety	data sheet			
Manufacturer Address Seal Bond 1251 E. Mt. Garfield Rd. Norton Shores, MI 49444 800-252-4144				
Emergency telephone number				
Emergency Telephone	Chemtrec 1-800-424-9300			

2. Hazard(s) identification

Classification

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Appearance N	o information	available
--------------	---------------	-----------

Physical state Liquid

Odor No information available

Disclaimer ATTENTION! Some of the additives disclosed in Section 3 such as Carbon Black, Crystalline Silica, and or Titanium Dioxide are regulated by California Proposition 65 as carcinogens when they are in the form of "airborne, unbound particles of respirable size." Since the disclosed materials are bound in the polymer matrix, they will not be available as an airborne hazard (dust, mist, or spray) under normal conditions of use. Therefore, this product does not present a respiration hazard as outlined by the Prop 65 regulations

Label elements

Warning

Hazard statements

Causes serious eye irritation May cause an allergic skin reaction May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing must not be allowed out of the workplace Do not breathe dust, fume, gas, mist, vapors and spray Wear protective gloves, eye protection and face protection **Precautionary Statements - Response** Specific treatment (see .? on this label)

Get medical advice/attention if you feel unwell Eyes

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice and attention

Skin

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice and attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant

Other information

May be harmful in contact with skin. May be harmful if inhaled.

Unknown acute toxicity

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Calcium Carbonate	471-34-1	20 - 40	-	-
Limestone	1317-65-3	10 - 20	-	-
Titanium Dioxide	13463-67-7	1 - <5	-	-
Stearic Acid	57-11-4	1 - <5	-	-
Proprietary Dehydration Agent	Trade secret	1 - <5	-	-
Proprietary Adhesion Promoter	Trade secret	1 - <5	-	-
Crystalline Silica	14808-60-7	<0.1	-	-
Carbon Black	1333-86-4	<0.1	-	-

4. First-aid measures

Description of first aid measures				
General advice	Show this safety data sheet to the doctor in attendance.			
Inhalation	Remove to fresh air.			
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.			
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.			
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.			
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).			
Most important symptoms and effe	ects, both acute and delayed			
Symptoms	Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.			

F		()		
ວ.	rire-	ГQ	ntina	measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact. Containers may explode when heated.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal
	protective equipment as required. Evacuate personnel to safe areas. Keep people away
	from and upwind of spill/leak.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH		
Calcium Carbonate	-	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust		
471-34-1		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust		
		fraction			
		(vacated) TWA: 15 mg/m ³ total			
		dust			
		(vacated) TWA: 5 mg/m ³			
Line a star a		respirable fraction			
Limestone	-	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust		
1317-65-3		TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ respirable dust		
		(vacated) TWA: 15 mg/m ³ total			
		dust			
		(vacated) TWA: 5 mg/m ³			
		respirable fraction			
Titanium Dioxide	TWA: 0.2 mg/m ³ nanoscale	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³		
13463-67-7	respirable particulate matter	(vacated) TWA: 10 mg/m ³ total			
	TWA: 2.5 mg/m ³ finescale	dust	TWA: 0.3 mg/m ³ CIB 63		
	respirable particulate matter		ultrafine, including engineered		
			nanoscale		
Stearic Acid	TWA: 10 mg/m ³ inhalable	-	-		
57-11-4	particulate matter				
	TWA: 3 mg/m ³ respirable				
	particulate matter				
Crystalline Silica 14808-60-7	TWA: 0.025 mg/m ³ respirable	TWA: 50 μ g/m ³	IDLH: 50 mg/m ³ respirable dust		
14000-00-7	particulate matter	(vacated) TWA: 0.1 mg/m ³ respirable dust	TWA: 0.05 mg/m ³ respirable dust		
		: (250)/(%SiO2 + 5) mppcf	uusi		
		TWA respirable fraction			
L					

Carbon Black TWA: 3 mg/m ³ 1333-86-4 particulate m			TŴÁ res TWA	SiO2 + 2) mg/m ³ spirable fraction :: 3.5 mg/m ³ TWA: 3.5 mg/m ³		IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ 0.1 mg/m ³ Carbon black in	
					-		nce of Polycyclic aromatic hydrocarbons PAH
Chemical name		Alberta	British C	olumbia	Ontario		Quebec
Calcium Carbonate 471-34-1	Т	WA: 10 mg/m ³	TWA: 3	0 mg/m ³ 8 mg/m ³ 0 mg/m ³	-		TWA: 10 mg/m ³
Limestone 1317-65-3	Т	WA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³ STEL: 20 mg/m ³		-		TWA: 10 mg/m ³
Titanium Dioxide 13463-67-7	Т	WA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³		TWA: 10 mg/r	n ³	TWA: 10 mg/m ³
Stearic Acid 57-11-4		-	TWA: 10 mg/m ³ TWA: 3 mg/m ³		TWA: 10 mg/r TWA: 3 mg/m		TWA: 10 mg/m ³
Proprietary Dehydration Agent				-	STEL: 10 ppr STEL: 60 mg/r		-
Crystalline Silica 14808-60-7	TV	/A: 0.025 mg/m ³	TWA: 0.0	25 mg/m³	TWA: 0.10 mg/	m ³	TWA: 0.1 mg/m ³
Carbon Black 1333-86-4	T	WA: 3.5 mg/m ³	TWA: 3	s mg/m³	TWA: 3 mg/m	1 ³	TWA: 3 mg/m ³

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection Respiratory protection	Wear suitable protective clothing. No protective equipment is needed under normal use conditions. If exposure limits are
	exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

9. Physical and chemical properties

Information on basic physical and chemical properties				
Physical state Liquid				
Appearance	Paste			
Color	Not applicable			
Odor	Not applicable			
Odor threshold	Not applicable			

Property	Values	Remarks • Method
H	Not applicable	None known
Melting point / freezing point	Not applicable	None known
Initial boiling point and boiling rang	eNot applicable	None known
Flash point	Not applicable	None known
Evaporation rate	Not applicable	None known
Flammability	Not applicable	None known
Flammability Limit in Air		None known
Upper flammability or explosive	Not applicable	
limits		
Lower flammability or explosive	Not applicable	
limits		
Vapor pressure	Not applicable	None known
Relative vapor density	(Air=1) >1	None known
Relative density	Not applicable	None known
Water solubility	Not applicable	None known
Solubility(ies)	Not applicable	None known
Partition coefficient	Not applicable	None known
Autoignition temperature	Not applicable	None known
Decomposition temperature	Not applicable	None known
Kinematic viscosity	Contact the manufacturer	None known
Dynamic viscosity	Contact the manufacturer	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
Liquid Density	No information available	
Bulk density	No information available	
Buik donony		

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May be harmful if inhaled.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). May cause irritation. Prolonged contact may cause redness and irritation. May be harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	18,115.90 mg/kg
ATEmix (dermal)	3,891.80 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	101.40 mg/l
ATEmix (inhalation-vapor)	366.80 mg/l

Unknown acute toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium Carbonate 471-34-1	= 6450 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 3 mg/L (Rat)4 h
Titanium Dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat)4 h
Stearic Acid 57-11-4	= 4600 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Proprietary Dehydration Agent	= 7340 µL/kg (Rat)	= 3.54 mL/kg (Rabbit)	= 16.8 mg/L (Rat)4 h
Proprietary Adhesion Promoter	= 2413 mg/kg (Rat)	> 2009 mg/kg (Rabbit)	1.49 - 2.44 mg/L (Rat)4 h
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	-	> 4.6 mg/m³ (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	May cause skin irritation.	
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.	
Respiratory or skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
The table below indicates whether eac	ch agency has listed any ingredient as a carcinogen	

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide 13463-67-7	A3	Group 2B	-	Х
Crystalline Silica 14808-60-7	A2	Group 1	Known	Х
Carbon Black	A3	Group 2B	-	Х

	1333-86-4
happel	

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present		
Reproductive toxicity	No information available.	
STOT - single exposure	No information available.	
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	No information available.	

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Stearic Acid 57-11-4	-	LC50: <3000mg/L (96h, Brachydanio rerio) LC50: >1000mg/L (96h, Danio rerio)	-	-
Proprietary Dehydration Agent	-	LC50: =191mg/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient		
Stearic Acid 57-11-4	3.3		

Mobility in soil

No information available.

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

DOT

Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

All ingredients are listed or exempt.

DSL/NDSL	All ingredients are listed or exempt.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIOC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65		
Titanium Dioxide - 13463-67-7	Carcinogen		
Crystalline Silica - 14808-60-7	Carcinogen		
Carbon Black - 1333-86-4	Carcinogen		

See disclaimer in section 2.

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information									
NFPA HMIS	Health hazards 2 Health hazards 2 *	Flammability Flammability		Instability 0 Physical hazards 0	Special hazards - Personal protection X				
Key or legend to abbreviations and acronyms used in the safety data sheet									
Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: Exposure controls/personal protection TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit) Ceiling Maximum limit value * Skin designation Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) Strice St									
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set									

World Health Organization

Revision date 19-Sep

Revision Note

19-Sep-2023

No information available.

Disclaimer

No mormation available.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet